PHILIPS Lighting



Halogen Classic P45

Halogen Classic 18W E27 230V P45 1CT/15 SRP

Philips Halogen Classic light bulbs offer the classical shapes you are used to. This new 'classic' gives high-quality light, is dimmable and starts immediately.


Product data

General Information	
Cap-Base	E27 [E27]
Operating Position	UNIVERSAL [Any or Universal (U)]
Nominal Lifetime (Nom)	2000 h
Switching Cycle	8000X
Light Technical	
Luminous Flux (Nom)	204 lm
Luminous Flux (Rated) (Nom)	204 lm
Correlated Color Temperature (Nom)	2800 K
Luminous Efficacy (rated) (Nom)	11.1 lm/W
Color Rendering Index (Nom)	100
LLMF at End of Nominal Lifetime (Min)	80 %
Operating and Electrical	
Power (Rated) (Nom)	18.0 W
Lamp Current (Nom)	0.08 A
Starting Time (Nom)	0.0 s
Warm Up Time to 60% Light (Nom)	instant full light
Power Factor (Nom)	1
Voltage (Nom)	230 V
Controls and Dimming	
Dimmable	Yes

Mechanical and Housing	
Bulb Finish	Clear
Approval and Application	
Energy Efficiency Label (EEL)	D
Energy Consumption kWh/1000 h	18 kWh
Luminaire Design Requirements	
Cap-Base Temperature (Max)	130 °C
Product Data	
Full product code	872790083138204
Order product name	Halogen Classic 18W E27 230V P45 1CT/15 SRP
EAN/UPC - Product	8727900831382
Order code	925647344221
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	15
Material Nr. (12NC)	925647344221
Net Weight (Piece)	19.300 g

Halogen Classic P45

Dimensional drawing



 Product
 D (max)
 C (max)

 Halogen Classic 18W E27 230V P45 1CT/15 SRP
 46 mm
 74 mm

HalClass 18W E27 230V P45 CL



© 2019 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.

www.lighting.philips.com 2019, May 7 - data subject to change