



Classic filament LEDbulbs

LED classic 60W A60 E27 CW FR ND 1CT/10

Featuring a classic heritage design, Classic filament LEDbulbs combine the familiar shapes of classic incandescent bulbs with the benefits of the long lasting LED technology. They deliver beautiful, decorative warm-white light while saving around 90% on energy costs compared with traditional light bulbs.

Product data


General Information		Power (Nom)	
Cap-Base	E27 [E27]	Lamp Current (Nom)	7 W
EU RoHS compliant	Yes	Wattage Equivalent	60 mA
Nominal Lifetime (Nom)	15000 h	Starting Time (Nom)	60 W
Switching Cycle	20000X	Warm Up Time to 60% Light (Nom)	0.5 s
Technical Type	7-60W	Power Factor (Nom)	0.51
Flux measurement reference	Sphere	Voltage (Nom)	220-240 V
Light Technical		Temperature	
Color Code	840 [CCT of 4000K]	T-Case Maximum (Nom)	50 °C
Luminous Flux (Nom)	806 lm	Controls and Dimming	
Color Designation	Cool White (CW)	Dimmable	No
Correlated Color Temperature (Nom)	4000 K	Mechanical and Housing	
Luminous Efficacy (rated) (Nom)	115.00 lm/W	Bulb Finish	Frosted
Color Consistency	<6	Bulb Shape	A60 [A 60mm]
Color Rendering Index (Nom)	80	Approval and Application	
LLMF At End Of Nominal Lifetime (Nom)	70 %	Energy Efficiency Class	E
Operating and Electrical			
Input Frequency	50 to 60 Hz		

Classic filament LEDbulbs

Energy Consumption kWh/1000 h	7 kWh
EPREL Registration Number	387379
Product Data	
Full product code	871869670543800
Order product name	LED classic 60W A60 E27 CW FR ND 1CT/10
EAN/UPC - Product	8718696705438

Order code	929001323531
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	10
Material Nr. (12NC)	929001323531
Net Weight (Piece)	42.000 g


Dimensional drawing




Bulb A60 220~240V 60W 806lm 4000K E27 ND

Product	D	C
LED classic 60W A60 E27 CW FR ND 1CT/10	60 mm	106 mm


Photometric data



LEDbulb CLA A60 7W E27 840 FR-LDD



LED classic ND



LEDbulb CLA 7W A60 E27 840 FR-GUL

Classic filament LEDbulbs

Lifetime



15K LED

15K LMP

