# **PHILIPS** Lighting



# **Classic filament LEDbulbs**

# LED cla 120W G120 E27 WW FR ND RFSRT4

Featuring a classic heritage design, Classic filament LEDbulbs combine the familiar shapes of classic incandescent bulbs with the benefits of the long lasting LED technology. They deliver beautiful, decorative warm-white light while saving around 90% on energy costs compared with traditional light bulbs.

#### **Product data**


General Information		Power (Nom)	13 W
p-Base	E27 [ E27]	Lamp Current (Nom)	120 mA
U RoHS compliant	Yes	Wattage Equivalent	120 W
Iominal Lifetime (Nom)	15000 h	Starting Time (Nom)	0.5 s
Switching Cycle	20000X	Warm Up Time to 60% Light (Nom)	0.5 s
Fechnical Type	13-120W	Power Factor (Nom)	0.51
Flux measurement reference	Sphere	Voltage (Nom)	220-240 V
ight Technical		Temperature	
Color Code	827 [ CCT of 2700K]	T-Case Maximum (Nom)	55 °C
uminous Flux (Nom)	2000 lm		
Color Designation	Warm White (WW)	Controls and Dimming	
Correlated Color Temperature (Nom)	2700 K	Dimmable	No
uminous Efficacy (rated) (Nom)	153.00 lm/W		
Color Consistency	<6	Mechanical and Housing	
Color Rendering Index (Nom)	80	Bulb Finish	Frosted
LLMF At End Of Nominal Lifetime (Nom)	70 %	Bulb Shape	G120 [ G 120mm]
Operating and Electrical		Approval and Application	
nput Frequency	50 to 60 Hz	Energy Efficiency Class	D

## **Classic filament LEDbulbs**

Energy Consumption kWh/1000 h	13 kWh		
EPREL Registration Number	374860		
Product Data			
Full product code	871869976481400		
Order product name	LED cla 120W G120 E27 WW FR ND RFSRT4		
EAN/UPC - Product	8718699764814		

Order code	929002372101	
Numerator - Quantity Per Pack	1	
Numerator - Packs per outer box	4	
Material Nr. (12NC)	929002372101	
Net Weight (Piece)	0.100 kg	


#### Dimensional drawing



Product	D	с
LED cla 120W G120 E27 WW FR ND RFSRT4	124 mm	177 mm


G120 220-240V120W 2000lm 2700K E27 ND FR

#### Photometric data



Philes Lighting 8.4

LEDbulb CLA 13W G120 E27 827 FR



LEDbulb 13W A67 E27 827 CL


#### 150° 180° 150° -150-120° -100 120° -50 90° 90° -50 60° 60° -100γ*.*, -150 (cd/1000lm) 0°

LEDbulb CLA G120 13W E27 827 FR

Datasheet, 2021, August 27

## **Classic filament LEDbulbs**

#### Lifetime



15K LED

15K LMP



© 2021 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.

www.lighting.philips.com 2021, August 27 - data subject to change