



# Classic filament LEDbulbs

## LED classic 200W A95 E27 CW FR ND 1PF/4

Featuring a classic heritage design, Classic filament LEDbulbs combine the familiar shapes of classic incandescent bulbs with the benefits of the long lasting LED technology. They deliver beautiful, decorative warm-white light while saving around 90% on energy costs compared with traditional light bulbs.

### Product data


General Information		Power (Nom)	
Cap-Base	E27 [ E27]	Lamp Current (Nom)	23 W
EU RoHS compliant	Yes	Wattage Equivalent	200 mA
Nominal Lifetime (Nom)	15000 h	Starting Time (Nom)	200 W
Switching Cycle	20000X	Warm Up Time to 60% Light (Nom)	0.5 s
Technical Type	23-200W	Power Factor (Nom)	0.51
Flux measurement reference	Sphere	Voltage (Nom)	220-240 V
Light Technical		Temperature	
Color Code	840 [ CCT of 4000K]	T-Case Maximum (Nom)	55 °C
Luminous Flux (Nom)	3452 lm	Controls and Dimming	
Color Designation	Cool White (CW)	Dimmable	No
Correlated Color Temperature (Nom)	4000 K	Mechanical and Housing	
Luminous Efficacy (rated) (Nom)	150.00 lm/W	Bulb Finish	Frosted
Color Consistency	<6	Bulb Shape	A95 [ A 95mm]
Color Rendering Index (Nom)	80	Approval and Application	
LLMF At End Of Nominal Lifetime (Nom)	70 %	Energy Efficiency Class	D
Operating and Electrical			
Input Frequency	50 to 60 Hz		

# Classic filament LEDbulbs

Energy Consumption kWh/1000 h	23 kWh
EPREL Registration Number	374909
<b>Product Data</b>	
Full product code	871869976465400
Order product name	LED classic 200W A95 E27 CW FR ND 1PF/4
EAN/UPC - Product	8718699764654

Order code	929002373001
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	4
Material Nr. (12NC)	929002373001
Net Weight (Piece)	0.104 kg


## Dimensional drawing




A95 220-240V 200W 3452lm 4000K E27 ND FR

Product	D	C
LED classic 200W A95 E27 CW FR ND 1PF/4	95 mm	165 mm


## Photometric data



LEDbulb 23W A95 E27 840 FR



LEDbulb A95 E27 3452lm FR



LEDbulb 13W A67 E27 840 CL

# Classic filament LEDbulbs

## Lifetime



15K LED

15K LMP

