PHILIPS Lighting



A ↑ G

В

MASTER LEDspot GU10 UltraEfficient

MAS LEDspot UE 2.4-50W GU10 ND 840 EELB

With Philips Ultra Efficient GU10 LED spots you have the perfect retrofit lamp to help your customers save energy and money with high quality, long-lasting and ultra energy-efficient LED.

Product data

General information	
Cap-Base	GU10 [GU10]
CE mark	Yes
EU RoHS compliant	Yes
Nominal Lifetime (Nom)	50000 h
Switching Cycle	50000X
Flux measurement reference	Narrow Cone
Tier	MASTER
Light technical	
Color Code	840 [CCT of 4000K]
Beam Angle (Nom)	36 °
Luminous Flux (Nom)	380 lm
Luminous Intensity (Nom)	900 cd
Color Designation	Cool White (CW)
Correlated Color Temperature (Nom)	4000 K
Luminous Efficacy (rated) (Nom)	158 lm/W
Color Consistency	<6
Color Rendering Index (Nom)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %


Luminous Flux in 90° Cone (Rated)	380 lm
Operating and electrical	
Input Frequency	50 to 60 Hz
Power (Nom)	2.4 W
Lamp Current (Nom)	27 mA
Wattage Equivalent	50 W
Starting Time (Nom)	0.5 s
Warm Up Time to 60% Light (Nom)	0.5 s
Power Factor (Nom)	0.35
Voltage (Nom)	220-240 V
Temperature	
T-Ambient (Max)	45 ℃
T-Ambient (Min)	-20 °C
T-Case Maximum (Nom)	55 °C
Controls and dimming	
Dimmable	No

MASTER LEDspot GU10 UltraEfficient

Mechanical and housing	
Bulb Finish	Clear
Bulb Material	Clear Plastic
Bulb Shape	PAR16 [PAR 2 inch/50mm]
Approval and application	
Energy Efficiency Class	В
Suitable For Accent Lighting	Yes
Energy Consumption kWh/1000 h	3 kWh
EPREL Registration Number	1087971


Product data	
Full product code	871951442178300
Order product name	MAS LEDspot UE 2.4-50W GU10 ND 840 EELB
EAN/UPC - Product	8719514421783
Order code	929003163202
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	10
Material Nr. (12NC)	929003163202
Net Weight (Piece)	0.036 kg

Dimensional drawing




Product	D	с
MAS LEDspot UE 2.4-50W GU10 ND 840 EELB	50 mm	54 mm

Photometric data




Spectral Power Distribution Colour



Light Distribution Diagram


MASTER LEDspot GU10 UltraEfficient

Photometric data



Accent Lighting Spots

Lifetime



Life Expectancy Diagram

Lumen Maintenance Diagram



© 2022 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.

www.lighting.philips.com 2022, December 2 - data subject to change