





MASTER UltraEfficient LED bulb

MAS LEDBulbND2.3-40W E27 827 A60 CL G UE

This is the most efficient LED bulb from Philips brand. 210lm/W helps to concrete the company statement of sustainability. 50000 hour lifetime helps to extend the replacement cycle to reduce the waste. This is not only the high SPEC product, but also keep the light quality of Philips brand

Product data

General Information	
Cap-Base	E27
Nominal lifetime	50,000 hour(s)
Switching Cycle	50,000
Lighting Technology	LED
Flux measurement reference	Sphere
EU RoHS compliant	Yes
Light Technical	
Color Code	827 [CCT of 2700K]
Luminous Flux	485 lm
Color Designation	Warm White (WW)
Correlated Color Temperature (Nom)	2700 K
Luminous Efficacy (rated) (Nom)	210 lm/W
Color Consistency	<6
Color rendering index (CRI)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %
<u> </u>	

Flickering value (PstLM) - Flickering value as	1
per EN 61000-3-3	
Stroboscopic effect visibility measure (SVM)	0.4
Photobiological safety according to EN 62471	RG1
Operating and Electrical	
Line Frequency	50 to 60 Hz
Input Frequency	50 to 60 Hz
Power Consumption	2.3 W
Lamp Current (Nom)	25 mA
Wattage Equivalent	40 W
Starting Time (Nom)	0.5 s
Warm-up time to 60% light	0.5 s
Power Factor (Fraction)	0.4
Voltage (Nom)	220-240 V
Voltage (Nom)	220 V


Datasheet, 2024, January 26 data subject to change

MASTER UltraEfficient LED bulb

Temperature		
Ambient temperature range	-20 to +45 °C	
T-Case Maximum (Nom)	70 °C	
Controls and Dimming		
Dimmable	No	
Mechanical and Housing		
	CI.	
Bulb Finish	Clear	
Bulb Material	Glass	
Bulb Shape	A60	
Approval and Application		
Energy Efficiency Class	А	
Energy Consumption kWh/1000 h	3 kWh	
EPREL Registration Number	1442600	
Photobiological risk	Photobiological risk group 1 @ 200mm to	
	EN62471	


EyeComfort	Yes
Product Data	
Order product name	MAS LEDBulbND2.3-40W E27 827 A60
	CL G UE
Full product name	MAS LEDBulbND2.3-40W E27 827 A60
	CL G UE
Full product code	872016918829700
Order code	929003622702
Material Nr. (12NC)	929003622702
Numerator - Quantity Per Pack	1
EAN/UPC - Product/Case	8720169188297
Numerator - Packs per outer box	10
EAN/UPC - Case	8720169188303

Dimensional drawing




Product	D	С
MAS LEDBulbND2.3-40W E27 827 A60 CL G UE	60 mm	104 mm

Photometric data








Spectral Power Distribution Colour - MAS LEDBulbND2.3-40W E27 827 A60 CL G UE


MASTER UltraEfficient LED bulb


Photometric data



Light Distribution Diagram - MAS LEDBulbND2.3-40W E27 827 A60 CL G UE

Lifetime





Life Expectancy Diagram - MAS LEDBulbND2.3-40W E27 827 A60 CL G UE

Lumen Maintenance Diagram - MAS LEDBulbND2.3-40W E27 827 A60 CL G UE



© 2024 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.