



Softone Lustre

Softone Lustre 7W WW E27 220-240V 1PF

Extremely compact covered energy saving lamp that produces soft and gentle decorative light, complementing any luminaries

Product data

• General Characteristics

Cap-Base	E27
Bulb	P55
Nominal Lifetime	10000 hr
Rated Lifetime (hours)	10000 hr
Rated Lifetime (years)	10 an

• Light Technical Characteristics

Color Code	827 [CCT of 2700K]
Color Rendering Index	82 Ra8
Color Designation (text)	Warm White
Color Temperature	2700 K
Color Temperature Technical	2700 K
Luminous flux lamp	290 Lm
Rated Luminous Flux	290 Lm
Luminous Efficacy Lamp	41 Lm/W
Lumen Maintenance 2000h	83 %
Lumen Maintenance 6000h	70 %
LLMF - end nominal lifetime	65 %
Chromaticity Coordinate X	463 -
Chromaticity Coordinate Y	420 -

• Electrical Characteristics

Rated Wattage	7.0 W
---------------	-------

Lamp Wattage	7 W
Power Factor	0.6 -
Voltage	220-240 V
Lamp Current mA	50 mA
Line Frequency	50/60 Hz
Dimmable	No
Wattage Equivalent	30 W
Starting Time	1.5 s
Warm-up Time to 60% Light Outp	10 (min), 80 (max) s

• Environmental Characteristics

Energy Efficiency Label (EEL)	A
Mercury (Hg) Content	1.5 (nom), 2.0 (max) mg
Energy consumption kWh/1000h	7 kWh

• Measuring Conditions

Switching cycle	30000X
-----------------	--------

• Product Dimensions

Overall Length C	93.5 (max) mm
Diameter D	56.5 (max) mm
Width F	48.5 (max) mm

• Product Data

Order code	929689110303
Full product code	929689110303
Full product name	Softone Lustre 7W WW E27 220-240V 1PF

PHILIPS

Softone Lustre

Order product name Softone Lustre 7W WW E27
220-240V 1PF/6
Pieces per pack 1
Packing configuration 6
Packs per outerbox 6
Bar code on pack -
EAN1 8718291658139

Bar code on
outerbox - EAN3 8718291658146
Logistic code(s) -
12NC 929689110303
Net weight per piece 0.059 kg


Warnings and Safety

- Breaking a lamp is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a closed plastic

bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.

- Compact fluorescent lamps have to be treated as special waste, they must be taken to your local waste facilities for recycling. The European Lighting Industry has set up an infrastructure, capable of recycling mercury, other metals, glass etc.

Dimensional drawing



E27

Softone Lustre 7W WW E27 220-240V 1PF

Product	C (Max)	D (Max)	F (Max)
Luster Erp 7W/827 E27 220-240V 50/60Hz	93.5	56.5	48.5



© 2014 Koninklijke Philips N.V. (Royal Philips)
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of
Koninklijke Philips N.V. (Royal Philips) or their respective owners.

www.philips.com/lighting

2014, April 11
data subject to change